#### Patent claims

1. Fungicidal compositions, characterized in that they contain an active compound combination consisting of

2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-2,4-dihydro-[1,2,4]-triazole-3-thione of the formula

$$CI \qquad OH \qquad CH_2 \qquad CI \qquad CH_2 \qquad CI \qquad (I)$$

10

5

and

(1) a triazole derivative of the formula

15

in which

X represents chlorine or phenyl

20

and

and/or

(2) the triazole derivative of the formula

$$CI \longrightarrow CH_2 \longrightarrow CH_2 \longrightarrow C(CH_3)_3$$

$$CH_2 \longrightarrow CH_2 \longrightarrow C(CH_3)_3$$
(III)
$$CH_2 \longrightarrow CH_2 \longrightarrow C(CH_3)_3$$
(IEbuconazole)

and/or

5.

10

20

(3) an aniline derivative of the formula

$$R^{1} \longrightarrow N \qquad S \longrightarrow CCl_{2}F$$

$$SO_{2} \longrightarrow N(CH_{3})_{2} \qquad (IV)$$

in which

R1 represents hydrogen or methyl,

15 and/or

(4) N-[1-(4-chloro-phenyl)-ethyl]-2,2-dichloro-1-ethyl-3-methyl-cyclo-propane-carboxamide of the formula

$$CI \longrightarrow CH - NH - C \longrightarrow CH_3$$

$$CH_3 \qquad CH_3 \qquad CH_3 \qquad (V)$$

and/or

(5) the zinc propylene-1,2-bis-(dithiocarbamate) of the formula

5

and/or

(6) at least one thiocarbamate of the formula

10

Me = Zn or Mn

or a mixture of Zn and Mn

and/or

15

(7) the aniline derivative of the formula

and/or

20

(8) the compound of the formula

$$(CH_3)_2CH-O-C-NH-CH-C-NH-CH-CH_3$$
 $(IX)$ 

and/or

5

10

15

(9) the benzothiadlazole derivative of the formula

 $H_3CS$  C S N (X) (bendicar)

and/or

(10) the 8-t-butyl-2-(N-ethyl-N-n-propyl-amino)-methyl-1,4-dioxaspiro[5,4]-decane of the formula

$$(CH_3)_3C$$
 $C_2H_5$ 
 $C_3H_7-n$ 
(spiroxamine)

and/or

(11) the compound of the formula

and/or

## (12) the compound of the formula

5 and/or

## (13) the compound of the formula

$$CI$$
 $N-O$ 
 $N-O$ 
 $OCH_3$ 
 $OCH_3$ 

10 and/or

## (14) the dicarboximide of the formula

$$CI$$
 $O$ 
 $CH_3$ 
 $CH_3$ 

15 and/or

# (15) a pyrimidine derivative of the formula

### Le A 32 322-Foreign Countries

- 64 -

in which

R<sup>2</sup> represents methyl or cyclopropyl,

and/or

5

10

15

(16) the phenyl derivative of the formula

and/or

(17) the morpholine derivative of the formula

$$O \longrightarrow N-C-CH=C \longrightarrow CI$$

$$O \longrightarrow OCH_3$$

$$OCH_3$$

$$OCH_3$$

and/or

(18) the phthalimide derivative of the formula

## Le A 32 322-Foreign Countries

- 65 -

$$\begin{array}{c|c}
 & C \\
 & C \\$$

and/or

5

10

15

20

(19) the phosphorus compound of the formula

 $\begin{bmatrix} H_5C_2O & O \\ H & O \end{bmatrix} AI (XX)$ 

and/or

(20) a phenylpyrrole derivative of the formula

$$-R^3$$
 $R^4$ 
 $CN$ 
(XXI)

in which

R<sup>3</sup> and R<sup>4</sup> each represent chlorine or together represent a radical of the formula -O-CF<sub>2</sub>-O-,

and/or

(21) the 1-[(6-chloro-3-pyridinyl)-methyl]-N-nitro-2-imidazolidineimine of the formula

### Le A 32 322-Foreign Countries

- 66 -

and/or

(22) the phenylurea derivative of the formula

5

and/or

(23) the benzamide derivative of the formula

10

and/or

15

(24) a guanidine derivative of the formula

$$R^{5}-NH-(CH_{2})_{8}$$
  $N-(CH_{2})_{8}$   $N-H$  (XXV)  
 $X(2+m) CH_{3}COOH$ 

20

in which

m represents integers from 0 to 5

and

5

15

20

25

R<sup>5</sup> represents hydrogen (17 to 23 %) or the radical of the formula

Composition according to Claim 1, characterized in that in the active compound combinations the weight ratio of active compound of the formula (I) to

- active compound of group (1) is between 1:0.1 and 1:20,

- active compound of group (2) is between 1:0.1 and 1:20,

- active compound of group (3) is between 1:0.2 and 1:150,

- active compound of group (4) is between 1:0.1 and 1:10,

- active compound of group (5) is between 1:1 and 1:50,

- active compound of group (6) is between 1:1 and 1:50,

- active compound of group (7) is between 1:0.1 and 1:50,

- active compound of group (8) is between 1:0.2 and 1:50,

- active compound of group (9) is between 1:0.02 and 1:50,

- active compound of group (10) is between 1:0.1 and 1:50,

- active compound of group (11) is between 1:0.1 and 1:50,

- active compound of group (12) is between 1:0.1 and 1:50,

- active compound of group (13) is between 1:0.1 and 1:50,

- active compound of group (14) is between 1:0.1 and 1:50,

- active compound of group (15) [is/between 1:0.1 and 1:50,

- active compound of group](16)[is/between 1:1 and 1:50,

- active compound of group (17) is between 1:1 and 1:20,

- active compound of group (18):is between 1:1 and 1:50,
- active compound of group (19) is between 1:1 and 1:50,
- active compound of group (20) is between 1:0.1 and 1:10,
- active compound of group (21) List between 1:0.05 and 1:20,
- active compound of group (22) is between 1:0.1 and 1:10,
- active compound of group (23), is between 1:0.1 and 1:10 and
- active compound of group (24) is between 1:0.1 and 1:10.
- Method, for controlling fungi, characterized in that active compound combinations according to Claim 1 are applied to the fungi and/or their habitat.
  - 4. Use of active compound combinations according to Claim 1 for controlling fungi.
- 15 5. Process for preparing fungicidal compositions, characterized in that active compound combinations according to Claim 1 are mixed with extenders and/or surfactants.

5